

Patent




Attorney Docket No.: 2207/10754

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS : Sunil K. JAIN et al.
SERIAL NO. : 09/883,190
FILED : June 19, 2001
PATENT NO. : 6,898,746 B2
ISSUED : May 24, 2005
FOR : METHOD OF AND APPARATUS FOR TESTING A SERIAL
DIFFERENTIAL/MIXED SIGNAL DEVICE
GROUP ART UNIT : 2133
EXAMINER : John P. TRIMMINGS

Certificate
SEP 22 2005
of Correction

M/S: CERTIFICATE OF
CORRECTION BRANCH
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate of Mailing	
I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: M/S: CERTIFICATE OF CORRECTION BRANCH, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on	
Date: September 14, 2005	Signature:  Pilar Rodriguez

REQUEST FOR CERTIFICATE OF CORRECTION

Dear Sir:

We have compared the above patent with the application as filed and have found errors in the printing of the patent. We respectfully request that the enclosed Certificate of Correction on Form PTO-1050 be issued correcting the mistakes set forth therein under authority of 35 U.S.C. §254. The exact column and line number where the errors occurred in the patent are listed on the enclosed certificate.

09/20/2005 BABRAHA1 00000045 110600 6898746

01 FC:1811 100.00 DA

SEP 23 2005

The errors that appear in the patent are various typographical errors made by Applicant and therefore, a fee is required.


Please charge payment of the Certificate of Correction fee of **\$100.00** to Deposit Account No. **11-0600**. The Office is hereby authorized to charge any additional fees, or credit any overpayments, to Deposit Account No. **11-0600**.

Respectfully submitted,

KENYON & KENYON

Dated: September 14, 2005

By:


Sumit Bhattacharya
(Reg. No. 51,469)

KENYON & KENYON
333 West San Carlos St., Suite 600
San Jose, CA 95110

Telephone: (408) 975-7500
Facsimile: (408) 975-7501

74950

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO : 6,898,746 B2
DATED : May 24, 2005
INVENTOR(S) : Sunil K. JAIN et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7, Line 13 "adjust ting the input"
should be --adjusting the input--

Column 7, Line 41 "the digital: data comprises"
should be --the digital data compripes--

MAILING ADDRESS OF SENDER: Attorney Ref.: 2207/10754
KENYON & KENYON
333 W. San Carlos, Ste 600
San Jose, CA 95110
Telephone: (408) 975-7500
Facsimile: (408) 975-7501

PATENT NO. 6,898,746 B2

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

SEP 23 2005